

Continental

SCIENTIFIC

Solid Door General Purpose Laboratory/Pharmacy Over-Under Dual Temperature

Utilizing Environmentally Safe, CFC-free, R134a and R-404A Refrigerant



Standard Features

- Modern, State-of-the Art Styling
- Performance Rated Refrigeration System Utilizing Environmentally Safe R-134a and R-404A Refrigerant
- 3" Non-CFC Polyurethane Foam Insulation
- Chrome-Plated Flow Line Handles
- Cam-Action Lift-Off Hinges
- Self-Closing Doors
- Automatic Interior Lighting
- Magnetic Snap-In Door Gaskets
- Cylinder Lock In Each Door
- Automatic Electric Condensate Evaporator
- 5" Casters
- Heavy-Duty, Epoxy-Coated Steel Shelves
- External Digital Thermometer
- Automatic Electric Defrost on Freezer Section
- Refrigerator Adjustable Temperature Control, Range +2°C to +8°C, Factory Present at +4°C Freezer Range (-22°C) to (-12°C), Factory Preset at (-20°C)


Standard (S/S Front, Aluminum End Panels & Interior)
Suffix SA (S/S Exterior, Aluminum Interior)
Suffix SS (S/S Exterior & Interior)

Optional Features & Accessories

- Legs
- Additional Shelves
- Rehinging of Doors
- Stainless Steel Drawers
- 220/50/1 Voltage
- 220/60/1 Voltage
- Export Crating
- Remote
- 7 Day Temperature Chart Recorders
- Audible/Visual Temperature Alarms
- Manual Defrost

Project Name: _____

Item Number: _____



Solid Door General Purpose Laboratory/Pharmacy Over-Under Dual Temperature

SPECIFICATIONS

Model

S1RF

One Section

Reach-In

CHARACTERISTICS DIMENSIONAL DATA

Net Capacity (cu. ft.) Refrigerator	10
Net Capacity (cu. ft.) Freezer	10
Width, Overall (in.)	26
Depth, Overall (Incl. Hdls.) (in.)	35½
Depth (Less Door(s)) (in.)	32
Depth (Door(s) Open 90°) (in.)	55½
Clear Door Width (in.)	19⅝
Clear Half-Door Height (in.)	27½
Height, Overall (inc. 5" Casters) (in.)	82¼
Half Door(s)	2
Shelves	4
Shelf Area (sq. ft.)	10.2

REFRIGERATION DATA

Condensing Unit Size (H.P.) Ref.	1/5
Condensing Unit Size (H.P.) Frz.	1/4
Capacity (BTU/Hr)*Ref.	1725
Capacity (BTU/Hr)*Frz.	1250

ELECTRICAL DATA

Cabinet Specifications	115/60/1
Feed Wires (Incl. Ground)	3/3
Condensing Unit Specs.	115/60/1
Total Amperes	5.3/5.4
Cabinet Amperes	.9/.9
Defrost Amperes	5.2
Power Supply Cord	yes/yes

SHIPPING DATA



Height - crated (in.)	85½
Width - crated (in.)	31⅝
Depth - crated (in.)	42
Volume - crated (cu.ft.)	66
Weight Std - crated (lbs.)	420
Weight SS - crated (lbs.)	480
Weight Std - uncrated (lbs.)	320
Weight SS - uncrated (lbs.)	380

* Rating @ +25°F Evaporator, 90° Ambient (Refrigerator)

* Rating @ -15°F Evaporator, 90° Ambient (Freezer)

Note: All specifications subject to change without notice.

Note: If the cabinet is located directly against wall and/or under low ceiling, a minimum of 2" is required.



Continental

SCIENTIFIC

A Division of National Refrigeration & A/C Products
539 Dunksferry Road • Bensalem, PA 19020
(215) 244-1400 • (800) 523-7138 • Fax: (215) 244-9579
www.continentalscientific.com