

# Continental *SCIENTIFIC*

*Effective March 31, 2015*

**2015 Price List**



[www.continentalscientific.com](http://www.continentalscientific.com)

## TABLE OF CONTENTS

Solid Door Refrigerators	3
Solid Door Pass-Thru Refrigerators	4
Glass Door Refrigerators	5
Glass Door Pass-Thru Refrigerators	6
Combination Glass/Solid Door Pass-Thru Refrigerators	7
Solid Door Freezers	8
Solid Door Pass-Thru Freezers	9
Manual Defrost Solid Door Freezers	10
Glass Door Freezers	11
Combination Glass/Solid Door Pass-Thru Freezers	12
Low Temperature Solid Door Freezers	13
Low Temperature Glass Door Freezers	14
Chromatography Refrigerators	15
Solid Door Dual Temp Refrigerators/Freezers	16
Options & Accessories	17
Innovative Designs	18
Warranty	19

**Continental**  
*SCIENTIFIC*

[www.continentalscientific.com](http://www.continentalscientific.com)

## 2015 Continental Scientific Price Book

### Solid Door Laboratory/Pharmacy Refrigerators

Refrigerators (+2°C to +8°C), Factory Preset at 4°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<b>Stainless Steel Case Front, Aluminum End Panels and Interior</b>				
S1R	One	20	\$ 4348	310
S1RX	One	30	\$ 5330	430
S2R	Two	48	\$ 5531	520
S3R	Three	70	\$ 7205	725
<b>Suffix "SA" Models - Stainless Steel Exterior, Aluminum Interior</b>				
S1R-SA	One	20	\$ 4880	340
S1RX-SA	One	30	\$ 5769	470
S2R-SA	Two	48	\$ 5910	570
S3R-SA	Three	70	\$ 7710	795
<b>Suffix "SS" Models - Stainless Steel Exterior and Interior</b>				
S1R-SS	One	20	\$ 5782	370
S1RX-SS	One	30	\$ 6456	490
S2R-SS	Two	48	\$ 7398	600
S3R-SS	Three	70	\$ 9862	840

\*See Page 17 for Options and Accessories.

\*See Page 19 for Standard Warranty Coverage.



(800) 523-7138  
(215) 244-1400  
Fax: (215) 244-9579

Continental Scientific  
539 Dunksferry Road  
Bensalem, PA 19020

**Continental**  
SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)

**Solid Door Pass-Thru  
Laboratory/Pharmacy Refrigerators**  
Solid Door(s) on Front & Back

Refrigerators (+2°C to +8°C), Factory Preset at 4°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<i>Stainless Steel Case Front, Aluminum End Panels and Interior</i>				
S1R-PT	One	20	\$ 6812	340
S1RX-PT	One	30	\$ 8355	435
S2R-PT	Two	48	\$ 8666	580
S3R-PT	Three	70	\$ 11301	815
<b>Suffix "SA" Models - Stainless Steel Exterior, Aluminum Interior</b>				
S1R-SA-PT	One	20	\$ 7655	370
S1RX-SA-PT	One	30	\$ 9039	475
S2R-SA-PT	Two	48	\$ 9263	640
S3R-SA-PT	Three	70	\$ 12082	895
<b>Suffix "SS" Models - Stainless Steel Exterior and Interior</b>				
S1R-SS-PT	One	20	\$ 9069	400
S1RX-SS-PT	One	30	\$ 10121	495
S2R-SS-PT	Two	48	\$ 11592	660
S3R-SS-PT	Three	70	\$ 15453	930

\*See Page 17 for Options and Accessories.  
\*See Page 19 for Standard Warranty Coverage.



**Continental**  
SCIENTIFIC

www.continentalscientific.com

## 2015 Continental Scientific Price Book

### Glass Door Laboratory/Pharmacy Refrigerators

Refrigerators (+2°C to +8°C), Factory Preset at 4°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<i>Hinged Glass, Stainless Steel Case Front, Aluminum End Panels and Interior</i>				
S1R-GD	One	20	\$ 5209	315
S1RX-GD	One	30	\$ 6035	430
S2R-GD	Two	48	\$ 6650	530
S3R-GD	Three	70	\$ 8793	740
<b>Suffix "SA" Models - Hinged Glass, Stainless Steel Exterior, Aluminum Interior</b>				
S1R-SA-GD	One	20	\$ 5612	345
S1RX-SA-GD	One	30	\$ 6439	470
S2R-SA-GD	Two	48	\$ 6992	580
S3R-SA-GD	Three	70	\$ 9112	815
<b>Suffix "SS" Models - Hinged Glass, Stainless Steel Exterior and Interior</b>				
S1R-SS-GD	One	20	\$ 6320	375
S1RX-SS-GD	One	30	\$ 7709	490
S2R-SS-GD	Two	48	\$ 8540	610
S3R-SS-GD	Three	70	\$ 11189	855
<b>Sliding Glass Door Models</b>				
S2R-SGD	Two	48	\$ 7733	530
S2R-SA-SGD	Two	48	\$ 8154	580
S2R-SS-SGD	Two	48	\$ 8738	610

\*See Page 17 for Options and Accessories.

\*See Page 19 for Standard Warranty Coverage.



(800) 523-7138  
(215) 244-1400  
Fax: (215) 244-9579

Continental Scientific  
539 Dunksferry Road  
Bensalem, PA 19020

**Continental**  
SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)

**Glass Door Pass-Thru  
Laboratory/Pharmacy Refrigerators**  
Hinged Glass Door(s) on Front & Back

Refrigerators (+2°C to +8°C), Factory Preset at 4°C

<b>MODEL</b>	<b>SECTION</b>	<b>CU. FT.</b>	<b>LIST PRICE</b>	<b>SHIP WT.</b>
<b>Standard Models</b>				
<i>Hinged Glass, Stainless Steel Case Front, Aluminum End Panels and Interior</i>				
S1RX-GD-PT	One	30	<b>\$ 10254</b>	435
S2R-GD-PT	Two	48	<b>\$ 11301</b>	610
S3R-GD-PT	Three	70	<b>\$ 14925</b>	855
<b>Suffix "SA" Models - Hinged Glass, Stainless Steel Exterior, Aluminum Interior</b>				
S1RX-SA-GD-PT	One	30	<b>\$ 10935</b>	475
S2R-SA-GD-PT	Two	48	<b>\$ 11868</b>	670
S3R-SA-GD-PT	Three	70	<b>\$ 15480</b>	940
<b>Suffix "SS" Models - Hinged Glass, Stainless Steel Exterior and Interior</b>				
S1RX-SS-GD-PT	One	30	<b>\$ 13100</b>	495
S2R-SS-GD-PT	Two	48	<b>\$ 14496</b>	680
S3R-SS-GD-PT	Three	70	<b>\$ 19007</b>	970

\*See Page 17 for Options and Accessories.  
\*See Page 19 for Standard Warranty Coverage.



## 2015 Continental Scientific Price Book

### Combination Glass/Solid Door Pass-Thru Laboratory/Pharmacy Refrigerators Front Hinged Glass Door(s) & Back Hinged Solid Door(s)

Refrigerators (+2°C to +8°C), Factory Preset at 4°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<b>Hinged Glass, Stainless Steel Case Front, Aluminum End Panels and Interior</b>				
S1R-GD-PT-Z	One	20	\$ 8166	360
S1RX-GD-PT-Z	One	30	\$ 9463	435
S2R-GD-PT-Z	Two	48	\$ 10423	610
S3R-GD-PT-Z	Three	70	\$ 13784	855
<b>Suffix "SA" Models - Hinged Glass, Stainless Steel Exterior, Aluminum Interior</b>				
S1R-SA-GD-PT-Z	One	20	\$ 8801	390
S1RX-SA-GD-PT-Z	One	30	\$ 10102	475
S2R-SA-GD-PT-Z	Two	48	\$ 10959	670
S3R-SA-GD-PT-Z	Three	70	\$ 14280	940
<b>Suffix "SS" Models - Hinged Glass, Stainless Steel Exterior and Interior</b>				
S1R-SS-GD-PT-Z	One	20	\$ 9913	420
S1RX-SS-GD-PT-Z	One	30	\$ 12082	495
S2R-SS-GD-PT-Z	Two	48	\$ 13386	680
S3R-SS-GD-PT-Z	Three	70	\$ 17534	970
<b>Combination Sliding Glass Doors &amp; Hinged Solid Doors</b>				
S2R-SGD-PT-Z	Two	48	\$ 13129	610
S2R-SA-SGD-PT-Z	Two	48	\$ 13842	670
S2R-SS-SGD-PT-Z	Two	48	\$ 14840	680

\*See Page 17 for Options and Accessories.

\*See Page 19 for Standard Warranty Coverage.



(800) 523-7138  
(215) 244-1400  
Fax: (215) 244-9579

Continental Scientific  
539 Dunksferry Road  
Bensalem, PA 19020

**Continental**  
SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)

**Solid Door  
Laboratory/Pharmacy Freezers  
Automatic Electric Defrost**

Freezers (-22°C to -12°C), Factory Preset at -20°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<i>Stainless Steel Case Front, Aluminum End Panels and Interior</i>				
S1F	One	20	\$ 5210	325
S1FX	One	30	\$ 6439	445
S2F	Two	48	\$ 6875	555
S3F	Three	70	\$ 9113	790
<b>Suffix "SA" Models - Stainless Steel Exterior, Aluminum Interior</b>				
S1F-SA	One	20	\$ 5592	350
S1FX-SA	One	30	\$ 6852	485
S2F-SA	Two	48	\$ 7380	610
S3F-SA	Three	70	\$ 9341	865
<b>Suffix "SS" Models - Stainless Steel Exterior and Interior</b>				
S1F-SS	One	20	\$ 6197	385
S1FX-SS	One	30	\$ 8135	505
S2F-SS	Two	48	\$ 8943	635
S3F-SS	Three	70	\$ 11766	905

\*See Page 17 for Options and Accessories.  
\*See Page 19 for Standard Warranty Coverage.





## 2015 Continental Scientific Price Book

### Solid Door Pass-Thru Laboratory/Pharmacy Freezers Automatic Electric Defrost

Freezers (-22°C to -12°C), Factory Preset at -20°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<i>Stainless Steel Case Front, Aluminum End Panels and Interior</i>				
S1F-PT	One	20	\$ 8166	355
S1FX-PT	One	30	\$ 10089	450
S2F-PT	Two	48	\$ 10775	665
S3F-PT	Three	70	\$ 14279	885
<b>Suffix "SA" Models - Stainless Steel Exterior, Aluminum Interior</b>				
S1F-SA-PT	One	20	\$ 8759	390
S1FX-SA-PT	One	30	\$ 10736	495
S2F-SA-PT	Two	48	\$ 11575	730
S3F-SA-PT	Three	70	\$ 14637	970
<b>Suffix "SS" Models - Stainless Steel Exterior and Interior</b>				
S1F-SS-PT	One	20	\$ 9708	415
S1FX-SS-PT	One	30	\$ 12751	510
S2F-SS-PT	Two	48	\$ 14025	745
S3F-SS-PT	Three	70	\$ 18438	1000

\*See Page 17 for Options and Accessories.

\*See Page 19 for Standard Warranty Coverage.



(800) 523-7138  
(215) 244-1400  
Fax: (215) 244-9579

Continental Scientific  
539 Dunksferry Road  
Bensalem, PA 19020

**Continental**  
SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)

**Solid Door  
Laboratory/Pharmacy Freezers  
Manual Defrost**

Freezers (-22°C to -12°C), Factory Preset at -20°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<i>Stainless Steel Case Front, Aluminum End Panels and Interior</i>				
S1F-HD-CW	One	20	\$ 6838	325
S1FX-HD-CW	One	30	\$ 8437	445
S2F-HD-CW	Two	48	\$ 9021	555
<b>Suffix "SA" Models - Stainless Steel Exterior, Aluminum Interior</b>				
S1F-SA-HD-CW	One	20	\$ 7335	350
S1FX-SA-HD-CW	One	30	\$ 8989	480
S2F-SA-HD-CW	Two	48	\$ 9685	610
<b>Suffix "SS" Models - Stainless Steel Exterior and Interior</b>				
S1F-SS-HD-CW	One	20	\$ 8122	385
S1FX-SS-HD-CW	One	30	\$ 10672	505
S2F-SS-HD-CW	Two	48	\$ 11732	635

\*See Page 17 for Options and Accessories.  
\*See Page 19 for Standard Warranty Coverage.

*Models are cold wall designed. Each unit comes standard with two half height solid doors per section.*



## 2015 Continental Scientific Price Book

### Glass Door Laboratory/Pharmacy Freezers Automatic Electric Defrost

Freezers (-22°C to -12°C), Factory Preset at -20°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<i>Hinged Glass, Stainless Steel Case Front, Aluminum End Panels and Interior</i>				
S1F-GD	One	20	\$ 6539	330
S1FX-GD	One	30	\$ 8051	445
S2F-GD	Two	48	\$ 9667	565
S3F-GD	Three	70	\$ 13511	805
<b>Suffix "SA" Models - Hinged Glass, Stainless Steel Exterior, Aluminum Interior</b>				
S1F-SA-GD	One	20	\$ 6959	360
S1FX-SA-GD	One	30	\$ 8472	480
S2F-SA-GD	Two	48	\$ 9986	620
S3F-SA-GD	Three	70	\$ 13802	885
<b>Suffix "SS" Models - Hinged Glass, Stainless Steel Exterior and Interior</b>				
S1F-SS-GD	One	20	\$ 7683	390
S1FX-SS-GD	One	30	\$ 9482	505
S2F-SS-GD	Two	48	\$ 11464	645
S3F-SS-GD	Three	70	\$ 16139	920

\*See Page 17 for Options and Accessories.

\*See Page 19 for Standard Warranty Coverage.



(800) 523-7138  
(215) 244-1400  
Fax: (215) 244-9579

Continental Scientific  
539 Dunksferry Road  
Bensalem, PA 19020

# Continental

SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)

**Combination Glass/Solid Door Pass-Thru Laboratory/Pharmacy Freezers**  
 Automatic Electric Defrost - Front Hinged Glass Door(s) & Back Hinged Solid Door(s)

Freezers (-22°C to -12°C), Factory Preset at -20°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<i>Stainless Steel Case Front, Aluminum End Panels and Interior</i>				
S1FX-GD-PT	One	30	\$ 14140	450
S2F-GD-PT	Two	48	\$ 16974	705
S3F-GD-PT	Three	70	\$ 23724	930
<b>Suffix "SA" Models - Stainless Steel Exterior, Aluminum Interior</b>				
S1FX-SA-GD-PT	One	30	\$ 14832	495
S2F-SA-GD-PT	Two	48	\$ 17535	775
S3F-SA-GD-PT	Three	70	\$ 24236	1023
<b>Suffix "SS" Models - Stainless Steel Exterior and Interior</b>				
S1FX-SS-GD-PT	One	30	\$ 16649	510
S2F-SS-GD-PT	Two	48	\$ 20134	785
S3F-SS-GD-PT	Three	70	\$ 28342	1045

\*See Page 17 for Options and Accessories.  
 \*See Page 19 for Standard Warranty Coverage.



## 2015 Continental Scientific Price Book

### Low Temperature Solid Door Laboratory/Pharmacy Freezers Automatic Electric Defrost

Freezers (-30°C to -18°C), Factory Preset at -25°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<b>Stainless Steel Case Front, Aluminum End Panels and Interior</b>				
S1F-LT	One	20	\$ 7279	325
S1FX-LT	One	30	\$ 7648	470
S2F-LT	Two	48	\$ 9700	555
S3F-LT	Three	70	\$ 14384	790
<b>Suffix "SA" Models - Stainless Steel Exterior, Aluminum Interior</b>				
S1F-LT-SA	One	20	\$ 7692	350
S1FX-LT-SA	One	30	\$ 8069	510
S2F-LT-SA	Two	48	\$ 10121	610
S3F-LT-SA	Three	70	\$ 14671	865
<b>Suffix "SS" Models - Stainless Steel Exterior and Interior</b>				
S1F-LT-SS	One	20	\$ 8315	385
S1FX-LT-SS	One	30	\$ 8790	560
S2F-LT-SS	Two	48	\$ 10492	635
S3F-LT-SS	Three	70	\$ 15481	905

\*See Page 17 for Options and Accessories.

\*See Page 19 for Standard Warranty Coverage.

#### Voltage

115/208-230/60/1

#### Exterior Overall Height

85¾" w/ 5" casters



(800) 523-7138  
(215) 244-1400  
Fax: (215) 244-9579

Continental Scientific  
539 Dunksferry Road  
Bensalem, PA 19020

# Continental

SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)

**Low Temperature Glass Door  
Laboratory/Pharmacy Freezers  
Automatic Electric Defrost**

Freezers (-24°C to -18°C), Factory Preset at -23°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<i>Hinged Glass, Stainless Steel Case Front, Aluminum End Panels and Interior</i>				
S1F-LT-GD	One	20	\$ 8152	330
S1FX-LT-GD	One	30	\$ 10473	480
S2F-LT-GD	Two	48	\$ 11424	565
S3F-LT-GD	Three	70	\$ 17248	805
<b>Suffix "SA" Models - Hinged Glass, Stainless Steel Exterior, Aluminum Interior</b>				
S1F-LT-SA-GD	One	20	\$ 8278	360
S1FX-LT-SA-GD	One	30	\$ 10936	520
S2F-LT-SA-GD	Two	48	\$ 11889	620
S3F-LT-SA-GD	Three	70	\$ 17645	885
<b>Suffix "SS" Models - Hinged Glass, Stainless Steel Exterior and Interior</b>				
S1F-LT-SS-GD	One	20	\$ 9409	390
S1FX-LT-SS-GD	One	30	\$ 11903	570
S2F-LT-SS-GD	Two	48	\$ 12527	645
S3F-LT-SS-GD	Three	70	\$ 19144	920

\*See Page 17 for Options and Accessories.  
\*See Page 19 for Standard Warranty Coverage.

**Voltage**  
115/208-230/60/1

**Exterior Overall Height**  
85¾" w/ 5" casters



## 2015 Continental Scientific Price Book

### Chromatography Refrigerators

Refrigerators (+2°C to +8°C), Factory Preset at 4°C

MODEL	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>				
<i>Hinged Glass, Stainless Steel Case Front, Aluminum End Panels and Interior</i>				
CH1R-GD	One	20	\$ 5716	315
CH2R-GD	Two	48	\$ 7328	530
CH3R-GD	Three	70	\$ 9662	740
<b>Suffix "SA" Models - Hinged Glass, Stainless Steel Exterior, Aluminum Interior</b>				
CH1R-SA-GD	One	20	\$ 6181	340
CH2R-SA-GD	Two	48	\$ 7792	580
CH3R-SA-GD	Three	70	\$ 10169	810
<b>Suffix "SS" Models - Hinged Glass, Stainless Steel Exterior and Interior</b>				
CH1R-SS-GD	One	20	\$ 6952	375
CH2R-SS-GD	Two	48	\$ 9399	610
CH3R-SS-GD	Three	70	\$ 12354	855

\*See Page 17 for Options and Accessories.  
\*See Page 19 for Standard Warranty Coverage



(800) 523-7138  
(215) 244-1400  
Fax: (215) 244-9579

Continental Scientific  
539 Dunksferry Road  
Bensalem, PA 19020

**Continental**  
SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)

**Solid Door Dual Temp  
Laboratory/Pharmacy Refrigerators/Freezers**  
Freezer Section Includes Automatic Electric Defrost

Refrigerator Section (+2°C to +8°C), Factory Preset at +4°C  
Freezer Section (-22°C to -12°C), Factory Preset at -20°C

MODEL	TYPE	SECTION	CU. FT.	LIST PRICE	SHIP WT.
<b>Standard Models</b>					
<b>Stainless Steel Case Front, Aluminum End Panels and Interior</b>					
S1RF	Over/Under	One	10/10	\$ 8551	420
S2RF	Side-by-Side	Two	20/20	\$ 10607	580
S3RRF	Side-by-Side	Three	48/20	\$ 11848	835
S3RFF	Side-by-Side	Three	20/48	\$ 14352	835
<b>Suffix "SA" Models - Stainless Steel Exterior, Aluminum Interior</b>					
S1RF-SA	Over/Under	One	10/10	\$ 8986	460
S2RF-SA	Side-by-Side	Two	20/20	\$ 11085	630
S3RRF-SA	Side-by-Side	Three	48/20	\$ 12313	910
S3RFF-SA	Side-by-Side	Three	20/48	\$ 14778	910
<b>Suffix "SS" Models - Stainless Steel Exterior and Interior</b>					
S1RF-SS	Over/Under	One	10/10	\$ 9875	480
S2RF-SS	Side-by-Side	Two	20/20	\$ 12619	660
S3RRF-SS	Side-by-Side	Three	48/20	\$ 14636	950
S3RFF-SS	Side-by-Side	Three	20/48	\$ 17137	950

\*See Page 17 for Options and Accessories.

\*See Page 19 for Standard Warranty Coverage.



**Continental**  
SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)



## 2015 Continental Scientific Price Book

### Options & Accessories

<b>OPTION/ACCESSORY</b>	<b>LIST PRICE</b>
<b><i>Interior Accessories</i></b>	
Shelf, Plated Steel, Epoxy-Coated w/ Clips (any full size)	\$ 87
Shelf, Cantilever-Style (any half size)	\$ 171
Shelf, Stainless Steel w/ Clips (any full size)	\$ 247
Chromatography Pole Assembly (ea.)	\$ 581
Stainless Steel Roll Out Drawers (6 per section)	\$ 2693
Duplex Vapor Proof Outlet (ea.)	\$ 327
Glycol Vial w/ Factory Installed Temperature Probe (excludes Glycol solution)	\$ 92

#### ***Exterior Accessories***

Seven day Temperature Chart Recorder	\$ 1919
Hi/Low Alarm w/ Relay (control products)	\$ 699
2" Diameter Access Ports (ea.)	\$ 234
5" Dia. Swivel Casters, 6" High, Set of 4 (4 w/ brakes)	\$ 240
5" Dia. Swivel Casters, 6" High, Set of 6 (6 w/ brakes, 3 section models)	\$ 365
6" Stainless Steel Legs, Set of 4	\$ 171
6" Stainless Steel Legs, Set of 6 (3 section models)	\$ 257
6" Stainless Steel Flanged Feet, Set of 4	\$ 217
6" Stainless Steel Flanged Feet, Set of 6	\$ 329
2 Half Doors in Lieu of 1 Long Solid Door (per section)	\$ 495
2 Half Hinged Glass Doors in Lieu of 1 Long Hinged Glass Door (per section)	\$ 1534
Rehinging of Door(s)*	n/c*

\*No charge if placed at time of order. Doors are not reversible in the field.

#### ***Refrigeration - Expansion Valve System***

Refrigerator Models	\$ 579
Freezer Models**	\$ 735
Dual Temp Models	\$ 1315

\*\*Expansion Valve System is not available on Manual Defrost Freezer Models.  
Expansion Valve comes standard on all "LT" Models (solid & glass) and all (-20°C) Glass Door Freezer Models.

#### **PLEASE CONSULT FACTORY FOR THE FOLLOWING OPTIONS:**

- 50-Cycle Units and Pure 220/60/1 (excludes cord/plug)
- Remote Models
- Minus 30°C Freezer Units
- Export Crating

(800) 523-7138  
(215) 244-1400  
Fax: (215) 244-9579

Continental Scientific  
539 Dunksferry Road  
Bensalem, PA 19020

**Continental**  
*SCIENTIFIC*

[www.continentalscientific.com](http://www.continentalscientific.com)

Innovative Designs



Shown with optional half section of internal stainless steel drawers

Shown with optional half glass doors

Shown with optional internal stainless steel drawers



Shown with optional 7-day temperature chart recorder and hi/low alarm

Shown with optional 7 day temperature chart recorder and hi/low alarm

Pass-thru model with hinged glass doors on both sides

**Continental**  
SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)

## 2015 Continental Scientific Price Book

### Warranty Terms & Conditions United States of America & Canada

#### ONE (1) YEAR PARTS AND LABOR WARRANTY

Continental Scientific warrants to the original purchaser of every new Continental Scientific self contained unit, including all parts thereof, that such equipment is free from defects in material and workmanship, under normal use, proper maintenance and service as indicated by Continental Scientific installation and operation manual, for a period of one (1) year from the date of installation, or fifteen (15) months from the date of shipment from the manufacturer, whichever comes first. Normal wear type parts, such as light bulbs/lamps and gaskets are not covered by this warranty. For the purpose of this warranty, the original purchaser shall be deemed to mean the individual or company for whom the product was originally installed.

Continental Scientific's obligation under this warranty shall be limited to repairing or replacing, including labor, any part of such product which proves thus defective. Continental Scientific reserves the right to examine any product claimed to be defective. The labor warranty shall be for self-contained units only and for standard straight time, which is defined as normal service rate time, for service performed during normal working hours. Any service requested outside of a servicer's normal working hours will be covered under this warranty for the normal rate and any additional overtime rate will be the responsibility of the equipment purchaser.

Any part determined to be defective in the product should be returned to the company within thirty (30) days under the terms of this warranty and must be accompanied by the cabinet model, serial number, and identified with a return material authorization number, issued by the manufacturer.

Special installation/applications, including remote locations, are limited in coverage by this warranty. Any installation that requires extra work, and/or travel, to gain access to the unit for service is the sole responsibility of the equipment purchaser.

Improper operation resulting from factors, including but not limited to, improper or negligent cleaning and maintenance, low voltage conditions, inadequate wiring, and accidental damage are not manufacturing defects and are strictly the responsibility of the purchaser.

Condenser coils must be cleaned at regular intervals. Failure to do so can cause compressor malfunction and will void warranty. Continental Refrigerator recommends a minimum monthly cleaning, as stated in the installation and operation manual.

#### ADDITIONAL FOUR (4) YEAR COMPRESSOR PART WARRANTY

In addition to the warranty set forth above, Continental Scientific warrants the hermetically/semi-hermetically sealed compressor (part only) for an additional four (4) years beyond the first one (1) year warranty period; not to exceed sixty-three (63) months from the date of shipment from Continental Scientific, provided upon receipt of the compressor, manufacturer examination shows the sealed compressor to be defective. This extended warranty does not cover freight for the replacement compressor or freight for return of the failed compressor. Also, this extended compressor-part only warranty does not apply to any electrical controls, condenser, evaporator, fan motors, overload switch, starting relay, capacitors, temperature control, filter/drier, accumulator, refrigeration tubing, wiring harness, labor charges, or supplies which are covered by the standard warranty above.

THE FOREGOING WARRANTIES ARE EXPRESSLY GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED, OR STATUTORY, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED, ALONG WITH ALL OTHER OBLIGATIONS OR LIABILITIES ON OUR PART. AND WE NEITHER ASSUME, NOR AUTHORIZE ANY OTHER PERSON TO ASSUME FOR US, ANY OBLIGATION OR LIABILITY IN CONNECTION WITH THE SALE OF SAID REFRIGERATION UNITS OR ANY PARTS THEREOF.

This warranty shall not be assignable and shall be honored only in so far as the original purchaser.

This warranty does not apply outside the limits of the United States of America and Canada, nor does it apply to any part that has been subject to misuse, neglect, alteration, accident, or to any damage caused by transportation, flood, fire, acts of terrorism, or acts of God.

IN NO EVENT SHALL CONTINENTAL SCIENTIFIC BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES. THE REMEDIES OF PURCHASER SET FORTH HEREIN ARE EXCLUSIVE AND THE TOTAL LIABILITY OF CONTINENTAL SCIENTIFIC, WHETHER BASED ON CONTRACT, WARRANTY, NEGLIGENCE, INDEMNIFICATION, STRICT LIABILITY, TORT, OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE OF THE COMPONENT UPON WHICH LIABILITY IS BASED. CONTINENTAL SCIENTIFIC SHALL HAVE NO OBLIGATION OR LIABILITY FOR CONSEQUENTIAL OR SPECIAL DAMAGES, INCLUDING BUT NOT LIMITED TO INDIRECT, PUNITIVE DAMAGES, LOSS OF USE, LOSS OF PRODUCT, DOWNTIME OR LOST PROFITS, ARISING OUT OF, RELATED TO OR CONNECTED IN ANY WAY WITH THE PRODUCT OR ITS USE.

(800) 523-7138  
(215) 244-1400  
Fax: (215) 244-9579

Continental Scientific  
539 Dunksferry Road  
Bensalem, PA 19020

**Continental**  
SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)



# Continental SCIENTIFIC

[www.continentalscientific.com](http://www.continentalscientific.com)

*A Division of National Refrigeration & Air Conditioning Products, Inc.*

539 Dunksferry Road  
Bensalem, PA 19020  
(215) 244-1400

**Toll Free (800) 523-7138**

Fax: (215) 244-9579



MADE IN THE U.S.A.

**Please Note:** All models NSF certified (excluding prefix "CH" and suffix "CW" models)